

Ovo technical specification



.mdd

MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for its products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.


MDD is highly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.

REACH




Ovo



1. Top - tempered frosted glass 8mm
2. Front - MFC 52mm
3. Worktop - MFC 28mm, PVC edge
4. Body - MFC 28mm, PVC edge
5. Body - MFC 18mm, PVC edge
6. Leveling - 5mm range
7. Rectangular grommet- 90x48mm
8. Dividing storage - MFC 18mm, PVC edge
9. Patent lock
10. Front - MFC 18mm, PVC edge
11. Cable grommets - Ø80mm

Dimensions



W1 - 650mm | W2 - 1548mm | W3 - 870mm | W4 - 352mm | W5 - 695mm | W6 - 250mm | W7 - 1230mm | W8 - 1150mm | W9 - 650mm | W10 - 900mm | W11 - 692mm | W12 - 430mm | W13 - 320mm

- Reception desk: left and right version available.
- Modular construction:
 - high module - large frontal part made of chipboard 52 mm
 - low working module (worktop MFC 28mm; basis and side storage MFC 18mm), all elements
 - covered with PVC 2mm
- Glass top 8 mm, tempered glass
- Modules 52mm (front and side panel) are made of plates 12+28+12mm glued together with contact adhesive, covered with a wide PVC 2mm
- Possibility of height adjustment within ~15mm.
- An oval worktop
- This product is assembled using eccentric joints (eccentric + pin + tenon with a thread) – the possibility of repeated assembly without reception desk structure breaking.

Front



34 Chestnut



64 Cocoa





Body



67 White pastel



Banque Ovo						
	Référence	Dimensions			kg m3 pcs	Remarques
		Longeur	Prof.	Hauteur		
	LOP10	1550	870	1150	93 kg 0.24 m3 3 pcs	
	LOL10	1550	870	1150	93 kg 0.236 m3 3 pcs	